Powerful solutions for the future...





Since 1994

TEKSAN

MILESTONES OF SUCCESS...

WHENEVER YOU NEED POWER, WE ARE ALWAYS WITH YOU... SINCE 1994!

Since 1994, Teksan has been delivering high quality tailormade solutions that are designed accordingly to your requirements with 24/7 expeditious after-sales technical support and maintenance services anytime and anywhere you need uninterrupted power supply. When your company is moving further ahead rapidly on the road to success, you always feel our continuous support as your reliable power solutions partner.

Because Teksan is a member of your family...

1994 1995	1 996 1997 1998 1999	2000 2001 2002	2003	2004	2005 2006
Established under "Deniz Mühendisli and began its activ	k Ltd. Şti."	The upper limit of the range of products was increased from 880 kVA to 2250 kVA.	the biggest g that were ever until today w project of 2x3.	nit was	Teksan Generator was nominated as the "Best Distributor" By Doosan Infracore. It produced the first national natural gas generator set of Turkey. Research&Development studies of Cogeneration and Trigeneration systems were started.





2013

2007 2008 2009 2010 2011 2012

Received "Appreciation Award" from Doosan Infracore.

With its R&D development efforts regarding to cogeneration system with natural gas driven engine, which was supported by Tübitak, TEKSAN became the first domestic company invested in this area. Teksan Generator started "TEKSAN Production System" (TUS) to increase efficiency on supply, production and delivery processes and to prevent losses.



Teksan Generator carried out one of the most comprehensive ERP projects of Turkey with the investment made into software system, and maximized its customer satisfaction.

2014

Investment done for the second factory in Kocaeli Free Trade Zone.

Launch of Biogas Cogeneration Syster

Number of export markets increased to 120 countries.

First Trigeneration system, 4 x 500 kW Gas Engine, has been realized.

Teksan Generator was named among the first 1000 companies by Turkish Exporters Assembly within 55.000 companies in 2013.



2015

Innovated the first national Hybrid Power System in Turkey and made a breakthrough on Research&Development field.

Teksan Generator logo and corporate identity were renewed as TEKSAN. It started to use TeksanMini sub-brand for portable generator sets.












COGENERATION SOLUTIONS





Absorption Chille



Cooling Tower



Dry Cooler



Plate Heat Exchanger



Exhaust Gas Heat Exchange



STRONG SOLUTIONS FOR FUTURE

TEKSAN, thanks to its solid experience and know-how, delivers high performing natural gas and biogas-based cogeneration-trigeneration solutions with energy efficiency up to 90%.

You can get your investment back in a short period of 2-3 years.

Cogeneration Solutions

Today, it is the time to take action in the name of bequeathing a powerful heritage for the future...

Cogeneration (Combined Heat and Power or CHP) is the simultaneous production of energy more than one form such as electricity and heat from fuel which is used. The basic and most fundamental principle of cogeneration is to benefit accumulated heat in the system to provide saving accordingly the electricity needs of the facilities.

Cogeneration optimizes the energy supply to all types of consumers, with increased efficiency of energy conversion and use, lowering emissions to the environment, saving costs significantly, providing additional competitiveness for industrial and commercial users, and offering affordable heat for domestic users.

Distributed combined heat and power generation is an obligation for cleaner environment. With Kyoto Protocol, many industrialized countries entered into an international agreement committing a reduction of 30% in CO₂ emissions as of 2010. If this objective is to be achieved, it is vital that significant savings be made on the primary energy side. The generation of power and heat that is close to the location of consumption, is energy-efficient hence the supply can optimally be adapted according to demand and transmission, distribution losses are also largely avoided. Reduction in the CO₂ available with Teksan gas engine based cogeneration modules employed in CHP plants amount to more than 50% comparing to conventional oil-fired heating stations and coal-fired power stations. Teksan gas engines satisfy the twin requirements of low-emission and cost-efficient energy generation. Our CHP pack scan be used in municipal utilities and public authorities, power generating facilities, industrial, engineering and food processing companies as well as hotels. Operating as reliable electricity providers, they simultaneously serve to generate the heating energy for indoor swimming pools, sports centers, hospitals and clinics, schools and other public buildings.

According to system's thermal and electricity requirements, CHP plants can be designed as multimachine systems. System adaptation to the prevailing electrical and thermal demand profile is implemented by switching individual modules on and off. Multimachine CHP plants also offer the benefit of exceptionally high availability.

TEKSAN POWER PACKS

You have the control...

Teksan Cogeneration modules are called as "Power Packs". They are high efficient, fully functional power units with all the auxiliaries and components that a power production unit requires. For industrial, commercial and domestic self generation, small utilities, which don't have major construction and project handling resources, a complete power production unit requiring minimum work on site, is the answer. The installation of a Power Pack is quick and easy like a "plug and play" system. Start up is so fast and also operation and maintenance require minimum staff on site and remote monitoring is possible. The standardized design of Power Packs also lifts the concept of "stepwise" investment to new heights.

Inspite of starting with a single Power Pack, you can easily expand the installation by adding new and interconnected packs as the demand for power grows in your plant.

Advantages of Teksan Cogeneration Systems:

Durable to work for many years, design that make its dynamic and static analysis and calculations,

High efficiency due to its equipment designed specially for cogeneration system,

Convenience in layout and maintenance course due to its compact design,

 Investment return in short time thanks to feasibility calculations accurate analysis and suitable system design,

Ease of augmentation of system capacity upon demand and simultaneous operation with diesel generators,

Low maintenance costs,

■ In Teksan cogeneration systems, heat can be offered to the client in various ways. Along with standard hot air outlet, project based superheated steam and hot oil, cold water can be distributed too, in such projects which need cooling, via absorption chillers. Along with these, in greenhouses and projects that are demanding CO₂ usage, exhaust emissions are also utilisable.



TRIGENERATION POWER PACKS

Trigeneration is the process of procuring cooling in addition to the electrical and heat outlets of cogeneration systems. In trigeneration systems, hot water or exhaust, exhaust, that are gathered from the engine, are being used to obtain cold water via absorption chillers.


The trigeneration system is recommended in such implementations when the heat demand is used seasonally or in such implementations where cooling demand is higher than that of heating demand.

Sole or double effect absorption can be recommended depending on the cooling demand. In system absorption chillers provide cycle efficiency between 0,7 - 1,4 COP, depending on it's working principles.

In Teksan Trigeneration Systems, in addition to the cogeneration packs; absorption chiller, cooling tower and cooling pumps are also presented to the client.

Teksan Test Facilities:

- Low and high voltage testing
- Emission tests
- Fuel consumption test
- Thermal analysis
- Static and dynamic analysis
- Vibration tests





TEKSAN COGENERATION EQUIPMENTS



STANDARD EQUIPMENT

Engine Equipment

Electric coolant pumps for LT HT circuits Ignition system Carburetor type combustion gas/air mixer Electronic speed controller with on-engine actuator Intake air filter with replaceable element Lubricating oil pressure, coolant temperature, speed sensors

System Equipment

The chassis which carries engine, alternator and framework system Alternator, designed specifically for highly efficient cogeneration system Anti-vibration dampers Cable installations Emergency LT/HT radiator Output switch Oil cooler Intercooler

Heat Recovery

Jacket heat exchangers, 3-way valves, Expansion tanks and exhaust piping 316L stainless exhaust heat exchangers Temperature and pressure sensors Overpressure safety valves The purge air discharge Analog pressure and temperature gauges Butterfly valves

Gas System

Filter, double solenoid valve and gas regulator Preostats, globe valve, flexible connection


OPTIONAL EQUIPMENT

PMG


- Alternator dehumidifiers Differential protection
- Alternator diada protocti
- Sound isolation booths and containers
- Three-way catalyzer converter
- Active AFR control
- Remote monitoring through internet Automatic oil discharge and completion Reverse Osmosis water purification
- Medium voltage equipment Sprinkling tropical type heat radiator Seismic warning system Control panel heater Surge relay (ROCOF)

Documentation

Operation and maintenance guide Spare parts catalogue System drawing and design









We deliver power to you with environmental manufacturing philosophy.



We deliver power to you with our efficient projects.



Sustainability



TO WOR



We deliver power to you with our durable products.




We deliver power to you with our reliable guidance and support in each step of your business.

Reliability

Durability









We deliver power to the world



More inspiration: Simply scan this code with your smartphone

TEKSAN GLOBAL Yenidogan Mah. Edebali Cad. No:12 Sancaktepe / ISTANBUL / TURKEY Tel: +90 216 312 05 50 Fax: +90 216 312 69 09 E-mail: info@teksangenerator.com

www.teksangenerator.com